20003/0014

MAY 2 1 2008

Application Serial No. 10/536,601 Reply to office action of March 12, 2008 PATENT Docket: CU-4232

Amendments To The Claims

The listing of claims presented below will replace all prior versions, and listings, of claims in the application.

Listing of claims:

 (currently amended) In an apparatus for analyzing orbit and attitude data of a low-earth orbit satellite to establish a task schedule, and generating a satellite command, a low earth orbit satellite command planning apparatus comprising:

a satellite event predictor for predicting various events related to the satellite;

a satellite task schedule planner for referring to the [[event]] <u>predicted various</u>

<u>events and to inputted satellite tasks</u> to schedule a task schedule of the satellite,

and establishing a satellite task schedule;

a satellite telecommand planner for generating a set of telecommand data to be executed by the satellite according to the satellite task schedule established by the satellite task schedule planner; and

a mapping rule applier including a plurality of mapping rules applied to the respective <u>inputted satellite tasks</u> task schedules of the satellite.

2. (currently amended) The apparatus of claim 1, wherein the respective satellite tasks of the satellite task schedule established by the satellite task schedule planner include an ID, an execution time, and a parameter, and the satellite telecommand planner compares the parameter condition with mapping rules of the mapping rule applier, and automatically generates a set of satellite commands corresponding to the mapping rules matched with the condition.

PATENT Docket: CU-4232

3. (original) The apparatus of claim 1, further comprising a first user interface for establishing the mapping rules, and wherein the first user interface comprises:

a list display for displaying a mapping rule list;

an information display for a mapping rule name, a task name to which the mapping rule is applied, and a relative time command sequence; and

a condition display for displaying a mapping condition according to a parameter of the task, and the mapping condition includes a plurality of logical operation conditions and companson conditions.

- 4. (original) The apparatus of claim 3, wherein the logical operation conditions and comparison conditions include a logical product (AND), a logical sum (OR), an equal sign (=), a greater than sign (>), and a less than sign (<).
- 5. (original) The apparatus of claim 3, further comprising a second user interface for defining the relative time command sequence and wherein the second user interface comprises:
 - a list display for displaying a relative time command sequence list;
- a command display for displaying a list of commands that can be added to a name of the relative time command sequence; and
- a command sequence display for displaying a set of commands included in the name of the relative time command sequence; and

wherein the second user interface selects the command included in the

PATENT Docket: CU-4232

command display and edits a command set sequence of the command sequence display.

6. (currently amended) A satellite command planning method for a satellite control system to generate a satellite command from a satellite task schedule, comprising:

predicting, using a task analysis and planning system (TAPS), various satellite events; [[(a)]]

companing, using the TAPS, a satellite task included in a plurality of satellite task schedules with a predefined mapping rule when the satellite task schedules are input into the TAPS; [[(b)]]

generating, using the TAPS, a set of commands defined by a corresponding mapping rule when the mapping rule corresponding to a condition of the satellite task is found after the comparison, and comparing a next satellite task with a next mapping rule when no mapping rule corresponding to the satellite task is found; (c) generating

planning, using the TAPS, a preliminary satellite command plan based on the predicted various satellite events and the generated set of satellite commands; and [[(d)]]

inserting, using the TAPS, a satellite command indicator additionally needed for the satellite command from the preliminary satellite command plan, and generating to establish a finalized a final command telecommand plan.

7. (currently amended) The method of claim 6, wherein a single mapping rule

PATENT Docket: CU-4232

includes a plurality of sets of satellite commands in the generating step, the generating step (b), and (b) comprises selecting a single set of satellite commands corresponding to a parameter of the satellite task from among the sets of satellite commands.

8. (currently amended) In a control system for monitoring and controlling a low earth orbit satellite, a LEO (low earth orbit) satellite control system comprising:

an antenna for executing radio communication with the satellite;

a satellite operating system for receiving a telemetric signal of the satellite, processing and analyzing the signal, and transmitting a telecommand signal to the satellite through the antenna;

a task analysis and planning system (TAPS) for analyzing orbit and attitude data of the satellite, for predicting various satellite events, and for Inputting satellite task schedules to establish a finalized telecommand plan by a task schedule, and applying a plurality of mapping rules according to the established task schedule to generate a set of telecommand data; and

an interface for transmitting and receiving data between the systems.

9. **(currently amended)** The LEO satellite control system of claim 8, wherein the **task analysis and planning system TAPS** comprises:

a satellite event predictor for predicting various events related to the satellite;
a satellite task schedule planner for referring to the [[event]] predicted various
events and to inputted satellite tasks to schedule a task schedule of the satellite,

PATENT Docket: CU-4232

and establishing a satellite task schedule;

a satellite telecommand planner for generating a set of telecommand data to be executed by the satellite according to the satellite task schedule established by the satellite task schedule planner; and

a mapping rule applier including a plurality of mapping rules applied to the respective <u>inputted satellite tasks task schedules</u> of the satellite.

10. (currently amended) The LEO satellite control system of claim 8, wherein the satellite operating system comprises:

a signal transmit/receive converter for receiving a telemetric signal of the satellite and transmitting a telecommand signal, corresponding to the finalized telecomman plan, to the satellite through the antenna;

a satellite telesurveillance unit for processing and analyzing the telemetric signal received from the satellite to monitor the states of the satellite; and

a satellite telecommand transmitter for transmitting a control command required for the satellite.

- 11. (new) The method of claim 6 further comprising sending through an ethernet the telecommand plan to a satellite operating system (SOS).
- 12. (new) The method of claim 11 further comprising transmitting the telecommand plan to a Low Earth Orbit (LEO) satellite.

PATENT Docket: CU-4232

- 13. (new) The method of claim 6 wherein the predicting step is performed with a satellite event predictor of the TAPS.
- 14. (new) The method of claim 6 wherein the generating step is performed with a satellite task schedule planner of the TAPS.
- 15. The method of claim 6 wherein the planning step is performed with a satellite telecommand planner of the TAPS.
- 16. The method of claim 6 wherein the inserting step is performed with a satellite telecommand planner of the TAPS.